08/08/00

AVON, OH 44011

TELEPHONE: (440) 937-7000

MATERIAL SAFETY DATA SHEET Page 01 of 04

1.5 OZ PORCELAIN REPAIR-WHITE 01-80234

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Name: 1.5 OZ PORCELAIN REPAIR-WHITE

Item No.: 01-80234 PP-1 Part No.: Product Type: COATING

2. COMPOSITION, INFORMATION ON INGREDIENTS

CAS No. Ingredients

Additives Proprietary 55-60 aromatic petroleum solvents MB Proprietary 35-40 XYLENES* 1330-20-7 5-10 Proprietary trace Acrylic resin

Ingredients which have exposure limits

Exposure Limits (TWA) Ingredients	ACGIH (TLV)	OSHA (PEL)	OTHER
XYLENES	100 ppm TWA 434 mg/m3	100 ppm TWA 435 mg/m3	None
Exposure Limits (STEL) Ingredients	ACGIH (TLV)	OSHA (PEL)	
XYLENES	150 ppm 651 mg/m3	150 ppm 655 mg/m3	

3. HAZARDS IDENTIFICATION

Toxicity: TRRTTANT

TOXIC BY INGESTION AND INHALATION

Primary Routes of Entry: SKIN, INGESTION, INHALATION

Signs and Symptoms
of Exposure:

ANESTHETIC IRRITATION OF RESPIRATORY TRACT OR

CENTRAL NERVOUS SYSTEM CHARACTERIZED BY HEADACHE

DIZZINESS, OF NARCOSIS. PRIMARY IRRITATION

OF SKIN OR EYES

Existing Conditions

Aggravated by Exposure: None known

^{*} This component is listed as a SARA Section 313 Toxic Chemical.

HENKEL CONSUMER ADHESIVES 08/08/00

AVON, OH 44011

TELEPHONE: (440) 937-7000

MATERIAL SAFETY DATA SHEET Page 02 of 04

Product Name: 1.5 OZ PORCELAIN REPAIR-WHITE

Item No.: 01-80234

3. HAZARDS IDENTIFICATION

(continued)

Ingredients	Literatu Target C			Health	Effects		cinoge IARC	
Additives aromatic petroleum solv XYLENES Acrylic resin	ents MB	No Data No Data CAR CNS No Data	IRR KID	LIV		NO NO NO	NO NO NO	NO NO NO

Abbreviations

CAR Cardiac CNS Central nervous system

IRR Irritant KID Kidney

LIV Liver

4. FIRST AID MEASURES

Ingestion: DO NOT INDUCE VOMITING. CALL A PHYSICIAN

IMMEDIATELY

Inhalation: REMOVE TO FRESH AIR. CALL A PHYSICIAN

Skin Contact: WASH WITH LARGE AMOUNTS OF WATER.

Eye Contact: FLUSH EYES WITH WATER FOR AT LEAST 15 MINUTES

SEEK MEDICAL HELP

5. FIRE FIGHTING MEASURES

Flash Point: <100 DEG F

Recommended

Extinguishing Agents: CO2, DRY CHEMICAL , FOAM

Special Firefighting

Procedures: Not available

Hazardous Products formed

by Fire or Thermal Decomp OXIDES OF CARBON AND NITROGEN

Unusual Fire or

Explosion Hazards: WATER SPRAY MAY BE INEFFECTIVE. WATER MAY BE USED

TO COOL CONTAINERS.

Explosive Limits:

(% by volume in air)Lower Not available (% by volume in air)Upper Not available

6. ACCIDENTAL RELEASE MEASURES

Steps to be taken in case

of spill or leak: REMOVE ALL SOURCES OF IGNITION. AVOID BREATHING

VAPORS. REMOVE WITH ABSORBENT AND NONSPARKING

TOOLS

HENKEL CONSUMER ADHESIVES 08/08/00

AVON, OH 44011

TELEPHONE: (440) 937-7000

MATERIAL SAFETY DATA SHEET Page 03 of 04

Product Name: 1.5 OZ PORCELAIN REPAIR-WHITE

01-80234 Item No.:

7. HANDLING AND STORAGE

Safe Storage: DO NOT STORE ABOVE 120 DEG F

(Contact Loctite Customer Service 1-800-243-4874 for shelf life information) OBSERVE NORMAL SAFETY PRECAUTIONS FOR FLAMMABLE Handling:

MATERIALS. AVOID BREATHING VAPORS.

8. EXPOSURE CONTROLS, PERSONAL PROTECTION

Eyes: Safety glasses or goggles. Skin: Rubber or plastic gloves.

Ventilation: SUFFICIENT TO MAINTAIN VAPOR CONCENTRATION BELOW

TLV

Not available Respiratory

See Section 2 for Exposure Limits.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: WHITE LIQUID Odor: SOLVENT

Boiling Point: 280-344 DEG F pH: Does not apply

Solubility in Water: INSOLUBLE Specific Gravity 1.1

Volatile Organic Compound

(EPA Method 24) 47.7% Vapor Pressure: Vapor Density: <10 MM >1

Evaporation Rate

(Ether = 1)Not available

10. STABILITY AND REACTIVITY

Stability: Stable

Hazardous Polymerization: Will not occur Incompatibility: NONE KNOWN Conditions to Avoid: Not available

Hazardous Decomposition

Products (non-thermal): NONE KNOWN

11. TOXICOLOGICAL INFORMATION

See Section 3.

12. ECOLOGICAL INFORMATION

No data available

HENKEL CONSUMER ADHESIVES 08/08/00

AVON, OH 44011

TELEPHONE: (440) 937-7000

MATERIAL SAFETY DATA SHEET Page 04 of 04

Product Name: 1.5 OZ PORCELAIN REPAIR-WHITE

Item No.: 01-80234

13. DISPOSAL CONSIDERATIONS

Recommended methods of

disposal: INCINERATE FOLLOWING FEDERAL, STATE, AND LOCAL REGULATIONS. DO NOT INCINERATE CLOSED CONTAINERS

EPA Hazardous Waste

Number D001 - Hazardous waste per 40CFR 261.21

14. TRANSPORTATION INFORMATION

DOT (49 CFR 172)

Domestic Ground Transport

Proper Shipping Name: CONSUMER COMMODITY

Hazard Class or

Division: ORM-D
Identification Number: None
Marine Pollutant: None

IATA

Proper Shipping Name: FLAMMABLE LIQUIDS NOS XYLENES Class or Division: FLAMMABLE, UN 1993 PG III

UN or ID Number: UN 1993

15. REGULATORY INFORMATION

CA Proposition 65: WARNING: This product contains a chemical known to

the State of California to cause cancer and birth defects or other reproductive

harm.

16. OTHER INFORMATION

Estimated NFPA(R) Code:

Health Hazard: 3
Fire Hazard: 3
Reactivity Hazard: 0

Specific Hazard: Does not apply

Estimated HMIS(R) Code:

Health Hazard: 3
Flammability Hazard: 3
Reactivity Hazards: 0

Personal Protection: See Section 8.

NFPA is a registered trademark of the National Fire Protection Assn. HMIS is a registered trademark of the National Paint and Coatings Assn.

Prepared by:

Company: Safety, Health and Regulatory Affairs - North America,

Loctite Corp., 1001 Tr Br Cr, Rocky Hill CT 06067

(24hr.) Phone: (860) 571-5100